





HOW TO UPGRADE ZONE BEAST

1- Connect the upgrade kit to computer and DDP(or zone beast)




2. Open the software AVR Studio. You can download the software at the link below: <u>http://smarthomebus.com/dealers/Softwares/AVR%20Studio%204.09.zip</u>







3. Click the AVR



4. Choose the Atmega 64

Program Fuses LockBits Advand	ced Board Auto
Device	
ATmega128	Erase Device
ATtiny28	
-IATtiny2313	
ATmega48	Before
ATmega8 ATmega8515	After Program
ATmega8535	
ATmegal6	
ATmega161	
ATmega162 ATmega163	LEDDRIVE.
ATmega169	
ATmega32	Read
ATmega323 ATmega64	
AImegal	
ATmega128° AT89551	
AT89552	n1 Oct 12
AT86RF401	Read
No device selected	







5. Find the new firmware version of Zone Beast and press open.

Programming mode 下 TSP 丁开 查找范围①: ② Zone Beast Mix Controller	ATmeg	aB4					-	Eraze
I并 查找范围①: ② Zone Beast Mix Controller ← 企 C ③ old ⑤ Smart G4 Hotel Zone Beast Oct 11 2012 VI. 11 (Chipset ATMA)	Progra	mming moo	16					
查找范围①: Cone Beast Mix Controller 💽 🖨 🗈 வ old 図Smart G4 Hotel Zone Beast Oct 11 2012 VI. 11 (Chipset ATMA)					R R	roza Na	vica Re	fora
old Smart G4 Hotel Zone Beazt Oct 11 2012 VI. 11 (Chipset ATMA)	กมา							
Smart G4 Hotel Zone Beast Oct 11 2012 VI 11 Chipset ATMA	查找范围(I):	C Zon	e Beast	Mix C	ontrol:	ler 🔻] 🧇	
Smart G4 Hotel Zone Beazt Oct 11 2012 VI. 11 Chipzet ATMA	old							
文件名 (M): Smart G4 Hotel Zone Beast Oct 11 2012 V 打力	Smart G4	Hotel Zon	ie Beazt	t Oct 1	11 2012	V1.11 ()	Chipzet	ATMA
文件名 (W): Smart G4 Hotel Zone Beast Oct 11 2012 V 打3			1 AN	đ.				
文件名 (M): Smart G4 Hotel Zone Beast Oct 11 2012 V 打3								
文件名 (M): Smart G4 Hotel Zone Beast Oct 11 2012 V 打3								
文件名 (M): Smart G4 Hotel Zone Beast Oct 11 2012 V 13								
		Smart G	4 Hotel	Zone	Beast O	ct 11 20	12 V	1 JJ

6. Then Click Program

ATmega64		- Er
Programming mode ISP Parallel/High	Voltage : ✓ Verify De	ning B.C.
Flash		
C Use Current Si	mulator/Emulator FLASH M	
· Input HEX Fil:	11 2012 V1. 11 (Chipset AT	MAGE64). h
Program	Verify	Read
EEPROM		
C Use Current Si		
• Input HEX FilF	:\Firmware\9in1\Smart G4 9	inl Oct 12
Program	Ver <u>i</u> fy	Read